Serial No.		Item No.	Dec	Price
	at in	33060	■1:1 PUMP	
4	Pneumatic wall mounted	■35L/min,oil pressure<8Kg		
1		dilute oil pump	■Suck rod:270mm,diameter :45mm	US\$106.00
	W		■Suitable for wall mounted	
	A	33073	■1:1 PUMP	
0	Ħ	Pneumatic plug barrel dilute	■35L/min,oil pressure<8Kg	1106444 00
2	4	oil pump	■Suck rod:270mm,diameter :45mm	US\$111.00
	Ų		■Suitable for plug barrel	
	4	33094	■1:1PUMP	
0	III	Pneumatic plug barrel dilute	■35L/min,oil pressure<8Kg	1106444 00
3	11-	oil pump	■Suck rod:940mm,dia:45mm	US\$111.00
	U		■Suitable for 50 to 60 kg barrel, barrel type	
	Ą	35194	■3:1pump	
4		Pneumatic plug barrel dilute	■16L/min,oil pressure<20Kg	110400.00
4	17	oil pump	Suck rod:940mm,dia:45mm	US\$98.00
			■Suitable for 180-220 kg a barrel, barrel type	
	Ą	36060	■5:1 pump	
_		Pneumatic wall mounted	■18L/min,oil pressure<40Kg	1100400 00
5	Y	dilute oil pump	■Suck rod:270mm,dia:45mm	US\$103.00
			■Suitable for wall mounted	
	A.		■1:1pump	
	M	4.4 weeks all numan	■Powerful extraction waste oil	110#400.00
6	1	1:1 waste oil pump	■delivery:23-35L/min	US\$130.00
	U.		■Suitable for packing (with bucket or wall)	
	AA		■3:1/5:1pump	
7	中中	Big head pump air motive	■16L/18L/min,oil pressure<40Kg	1106420.00
7			■Suck rod:940mm,dia:45mm	US\$130.00
			■Applicable to a variety of specifications barrel,	
		Pneur	natic Grease pump	
Serial No.	Foto	Item No./Des	Details	Price
1	q	63041 Air-operated grease pump	■60:1pump ; ■500g/min,Oil outlet pressure<450Kg ■Length of inhale pole410mm,Diameter of inhale pole 32 ■Suitable for 20-30kg oil barrel(single pump)	US\$91.00
4	d o h	63095 Air-operated grease pump	■60:1pump ; ■500g/min,Oil outlet pressure<450Kg ■Length of inhale pole950mm,Diameter of inhale pole 32 ■Suitable for 180-220Kg oil barrel(single pump)	US\$96.00

Oil pumps

8		62095 Air-operated grease pump	■500g/min,Oil outlet pressure<450Kg ■Length of inhale pole950mm,Diameter of inhale	US\$84.00
		All-operated grease pump	pole 30 Suitable for 180-220KG oil barrel(single pump)	
9		Big head air-operated grease pump	■30:1/45:1pump ; ■1900g/1800g/min,Oil outlet pressure<40Kg ■Length of inhale pole940mm,Diameter of inhale pole 45 ■Suitable for more size oil barrel,installed on wall type or barrel insert type	US\$113.00
			nual oil pumps	
Serial No.	Photos	Item No.	Des	Price
2		32024 Manual oil pumps	Tank:24L Hose length:1/2",2M long Qty conveyed:200g/cycle Max oil density:SAE240	US\$65.00
3		32080 Manual oil pumps	Tank:70L Hose length:1/2",2M long Qty conveyed:200g/cycle Max oil density:SAE240	US\$77.00
4		32024-M Manual oil pumps with meter	Tank:24L Hose length:1/2",2M long Qty conveyed:200g/cycle Max oil density:SAE240 With digital meter	US\$216.00
5		22024 Pressure sprayer	Tank:24L Spray pipe:6M Spray gun:1M	US\$56.00
6		30020 Manual oil dispensers With tank hole screw	For tank: 20-30kg; Length of hose:2m; Sucking rod length: 410; Qty conveyed:200g/cycle	US\$26.00
7		30070 Manual oil dispensers With tank hole screw	For tank: 50-60kg; Length of hose:2m; Sucking rod length: 730; Qty conveyed:200g/cycle	US\$31.00
8		30200 Manual oil dispensers With tank hole screw	Double acting oil pump 24 I/m Body fitted directly on drum. Standard equipment: flexible hose d. 3 / 4 bsp 1300 mm. long, bung- adaptor and Viton ® seal Reciprocating volumetric single acting or double acting hand-operated pumps MEDIUM FLOW- RATE made in carbon-steel with alluminium	US\$35.00
Pneumatic oil dispensers				
		Pneum	natic oil dispensers	

9		37073 Mobile oil dispenser	3:1 Double working air pump 73L Tank; Length of oil hose:4M; With electronic flow gun	US\$356.00
8		37680 Wall-mounted Oil Centric System	Pneumatic pump: 5:1/3:1Bracket: fix the pump in the wallHose: 1"Bung adapterRigid connectorHose reel: 3/8", 10mFlow meter gun	US\$500.00
7	13	37686 Wall-mounted Oil Centric System	pump (art.36060) includes fittings oil control gun (art.37713) oil tray (art.88630) bracket (art.33115	US\$324.00
6		37105 WALL-MOUNTED OIL DISPENSER	Wall-mounted oil dispenser: complete modular solution for single use in fixed position or coupled with centralized systems for dispensing oil stored in drums and/or in tanks.	US\$464.00
5		37100 Heavy duty mobile oil kit	hose reel with 10 meters 1/2" hose. on request (with overprice): hose reel weel with 15 meters 1/2" hose double acting prmp bung adaptor adaptor double valve oil gun with meter complete with 1/2"straignt swivel	US\$530.00
4		37155 dispenser kit	3:1Pump Oil sucking pipe:940mm; Trolly capacity: 300-500Kg Length of hose:4M; With electronic dispenser gun	US\$302.00
3		37150F Mobile dispenser kit	3:1Pump Oil sucking pipe:940mm; Trolly capacity: 300-500Kg Length of hose:4M;	US\$470.00
2		37150 Heavy duty mobile oil kit	180-220kg. hose reel with 10 meters 1/2" hose. on request (with overprice): hose reel weel with 15 meters 1/2" hose double acting prmp bung adaptor adaptor double valve oil gun with meter complete with 1/2"straignt swivel	US\$367.00
1		33024 Pneumatic oil dispensers	Pneumatic oil dispensers suitable for filling or topping-up oil. Filled with oil (to 4/5 their capacity) and pressurized with air at 6-8 bar, they work autonomously anywhere and do not require continuous connection to the compressed-air line. Art. 33024 Pneumatic oil dispenser with 24-litre tank, equipped with level gauge delivery gun with flexible end	US\$49.00

1		200-E Mobile electric oil kits	Electric pump: 380v/220Vav, 50Hz Delivery:5-10L/min; Cart Load:180—220Kg; Equipped with Electronic oil gun	US\$486.00
2		200-E-R Mobile electric oil kits	Electric pump: 380v/220Vav, 50Hz Deliveryt:5-10L/min; Cart load:180—220Kg; Equipped with Electronic oil gun Hose reel:10M	US\$648.00
3		K305 Wall-mounted Oil Kit (electric)	Electric pump: 380v/220Vav, 50Hz Delivery: 8-18L/min Hose: 3/4", 2m Hose reel: 1/2", 10m Assemblies:1set electric pump1 bracket1 oil gun (art.37713): With a flow meter, can preset the volume of the oil1hose reel (art.82010)1 oil tray It is adaptable for 200L drum, and applies to engine oil, and gearbox oil, especially for oil with a high viscosity. Its pressure is 0.5-2.0Mpa.	US\$594.00
4		K300 Portable electric oil Kit	Electric pump: 380v/220Vav, 50Hz Delivery:5-10L/min ; Equipped with Electronic oil gun	US\$437.00
5		CR800 Mobile Dosing Oil Kits	Techniques: Delivery: ≤30LPM (L/min) Dosing area: 0.1-999.99L Precision: superior to 0.5% It has a set of hardware which is steady, high in cost performance, and easy to operate; There is a flow meter which can exam the dosing volume of the oil continuously; The switch valve, which has a short operating time, a long lifetime, can withstand a high pressure; There can be long working time of approximate 50,000 hours; The figures of the oil can be preset, amended and saved; It will display the injecting volume for one time or for more than one time.	US\$1,193.00
6		CR800-E Mobile quantitative filling oil system	electric pump Delivery:10-18L/min Oil scope:0.1-999.9L Heavy duty mobile cart	US\$1,404.00
7		CR8001 Ration control system	Range:0.1-999.9L Friendly interface, simple operation Controller , Flow sensor and Electromagnetic valve Included	US\$810.00
9	90	CR800-20-2 Quantitative filling cabinet system Pump Exclude	Range:0.1-999.9L Friendly interface, simple operation Delivery:10-18L/min Double oil gun	US\$2,052.00

10		CR800-20 Cabiniet Dosing Oil System	Dosing area: 0.1-999.9L Hose reel: 1/2", 10M Delivery: <20LPM (L/min) Precision: ±1% Power supply: 220VAC, 50Hz It has a set of hardware which is steady, high in cost performance, and easy to operate; There is a flow meter which can exam the dosing volume of the oil continuously; The switch valve, which has a short operating time, a long lifetime, can withstand a high pressure; There can be long working time of approximate 50,000 hours; It will display the injecting volume for one time or for more than one time; There is a leak proof oil nipple, and it will be no extra cost for oil.	US\$2,052.00
11		CR80050 Oil level low limit alarm	Dosing area: 0.1-999.9L Hose reel: 3/4", 10m Delivery: <50LPM (L/min) Precision: : ±1% Power supply: 220VAV, 50Hz	US\$65.00
12		CR800-50 Dosing Oil System	Dosing area: 0.1-999.9L Delivery: <60LPM (L/min) Precision: ±1% Power supply: 220VAV, 50Hz	US\$2,268.00
13	Crasta S S	CR800-50-2 Cabinet Dosing Oil System	Range;0.1-999.9升; Friendly interface, simple operation Delivery:30-60L/min Double oil gun	US\$2,656.00
14		CR80051 Oil level alarm	Suitable for: 200L oil drums Tank height<900L	US\$76.00
15		CR80052 oil level self-control device		US\$118.00
16		37713 Digtal flow meter gun	Inlet diameter: 1/2"NPT-1/2"F Outlet diameter: 1/2"NPT-1/2"F Delivery capacity: 1-35L/Min. Pressure scope: 0.5bar - 50bar Oil temperature: max. 60°C Tolerance: +/-0.5% Accurate unit: 0.01L Measuring unit: Litre Viscosity: max.SAE 240 (8-5000mPas)	US\$156.00
17		37720 Set quantitative filling gun	Inlet connection: 1/2"NPT-1/2"F Outlet connection: 1/2"NPT-1/2"F Minimum capacity: L/1'-1 Maximum capacity: L/1'-20 Min. pressure: 0.5bar Max.pressure: 50bar Temperature: 60 °C	US\$842.00

18		200-T Trolley	Heavy carts Bearing 200-300 kg, suitable for 200-300 kg of cans	US\$76.00
19	y y w.qbxiu.net	38042 Bung Adaptor	Bung Adaptor	US\$9.00
20		33115 Wall bracket	Wall bracket	US\$9.00
21		33120 Oil Control Gun	Oil Control Gun	US\$26.00
		Greas	se pump price list	
Serial No.	Photo	Item No.	Desc	Price
26		H-20 Manual Grease Pump	1) Capacity: 20kg 2) Barrel height: 485mm 3) Pump pressure: 102PSI-130PSI 4) Hose size: 1/4" x 3m 5) Suitable greases: NLGI-classes No.0-2 6) Portable; to be operated manually; No electricity or air is needed. 8) Deliver Rate:4cc/cycle	US\$55.00
27		H-40 Manual Grease Pump Suitable grease: 00#- 2#grease	Tank capacity: 40L Delivery: 4cc/cycle Hose: 1/4", 2m Delivery pressure: <180kg/cm2	US\$68.00
28		68012 manual grease pump	1) High pressure pump 2) Hose length: 2.2m 3) Tank capacity: 12L 4) Weight N/G: 10kg	US\$55.00
29		68213 air-operated grease pump Suitable grease: 0-3#grease	Tank capacity: 13kg Transmission pressure: <480bar Air pressure: 3-8bar Delivery hose: 1/4",4m Delivery: 500-900g/min Noise: 82db Max. air sonsumption: 150L/min	US\$150.00
30		68313 air-operated grease pump Stainless tank	Air pressure: 3-8bar Pump ratio:50:1 Transmission pressure: 180-480bar Hose length : 4m Export amount: 500-900g/min tank: 13kg	US\$125.00

	Г	1	Tank capacity:40L	
31		K55 Pneumatic Grease Pump Suitable grease: 0#- 2#grease	Pump raito60:1 Delivery: 500-900g/min Hose:4m Air pressure: 4-8Kg/cm2 Delivery pressure: 480 Kg/cm2 Net weight: 21.0 Kgs Gross weight: 23.5 Kgs	US\$165.00
32		A55 Air-operated Grease Pump Suitable greases : 00- 2#greases	Tank capacity: 40L Compression ratio: 45:1 Grease Output Pressure: 180~405 bar (2700~5850 psi) Transmission pressure: 3-10bar Delivery hose: 1/4in 4Meters Delivery 800-1500g/min Noise level: 82db Max. air consumption: 150Lt	US\$187.00
33		K6013 Electric Grease Pump Suitable greases : 00- 3#greases	Tank capacity: 13L Engine: 0.75KW Power supply: 380VAC Pump delivery: 1.2L/min Pressure: 20Mpa Package: caton	US\$380.00
34		66110 High-viscosity Grease Pump (pneumatic)	Inlet connector: G1/4 Outlet connector: G1/4 Pump ratio: 45:1 Delivery: 500-1600g/min Hose: 4m Air pressure: 4-9kg/ cm2 Grease pressure: 180-360 kg/ cm2	US\$385.00
35		66220 High-viscosity Grease Pump (pneumatic) Suitable greases : 00- 3#greases	Inlet connector: G1/4 Outlet connector: G1/4 Pump ratio: 45:1 Delivery: 500-1600g/min Hose: 4m Air pressure: 4-9kg/ cm2 Grease pressure: 180-360 kg/ cm2	US\$380.00
36		64035 Air-operated Grease Pump Suitable greases: 00- 3#greases	1) Pressure ratio: 60:1 2) Compressed air: 0.4 - 0.8MPa 3) Output: 0 - 0.85L/min 4) Pressure: 30 - 40MPa 5) Overall weight: 13kg 6) Dimensions: 480 x 480 x 20mm, 830 x 125 x 190mm	US\$133.00
37		64036 Mobile Grease Kits (pneumatic) Suitable greases: 00-3#greases	Suction hose: 410mm Delivery hose: 3m Grease platen: dia.310mm Pump ratio: 60:1 Pneumatic pump: pole, 410mm; ratio, 60:1 Drum cover: adaptable for drum of 20-30kg, dia.270-300mm Grease platen: dia.310mm delivery hose: 2.5m	US\$133.00

	 _		
38	64038 Grease Kits (pneumatic) Suitable greases: 00-3#greases	Pump ratio: 60:1 Pole: 470mm Hose: 1/4", 3m Follower plate: dia.370mm Drum: 50-60kg, dia.370-420mm	US\$165.00
39	64070 Pneumatic Grease Unit Suitable greases: 00-3#greases	Pump ratio: 60:1 Pole: 940mm; Trolly and oil press plate for 200Kg (Inner dia 540-580mm) oil tank Hose: 1/4", 4m Convey grease: 500-900g/min;	US\$285.00
40	64000 Pneumatic Grease Unit Suitable greases: 00- 3#greases	With mobile trolly Pump ratio: 60:1 Pole: 940mm; Trolly and oil press plate for 200Kg (Inner dia 540-580mm) oil tank Hose: 1/4", 4m Convey grease: 500-900g/min; With mobile trolly	US\$475.00
41	64200 Pneumatic Grease Unit Suitable greases: 00- 3#greases	Pump ratio: 60:1 Pole: 940mm; Trolly and oil press plate for 200Kg (Inner dia 540-580mm) oil tank Hose: 1/4", 4m Convey grease: 500-900g/min; With mobile trolly	US\$405.00
42	CR630 Dosing Grease Kit	Dispensing range:1-30g Accuracy :more or less 3% Max. pressure :<30Mpa Out pressure: <30Mpa Air pressure:3-6Bar Connection thread :1/4 BSP Suitable greases :0-3#	US\$550.00
43	CR6150 Dosing Grease Kit	Manual switch or pedal switch Could extend photoelectric switch to automatic system Grease convey:200-300g/min Hose:1/4"、4M Tank:40L	US\$680.00
44	CR690 Dosing Grease System (pneumatic)	Dosing area: >5g Dosing accuracy: ±5% Repetition accuracy: ±5% Dosing system: time It is adaptable for grease infusion of a large volume, but there is no much demand for precision.	US\$425.00
45	Art.66888 High-pressure Grease Gun	With straight scew connector	US\$9.00

46		Art.66889 High-pressure Grease Gun	With "Z" type scew connector	US\$12.00
47	Ø	Art.91404 High-pressure Grease hose	■SAE100R1AT 1/4"	USD3/M
48		Hig performance Grease nozzle	With one-way valve	US\$1.00
49		Art.66220 Grease pressing plate	for Ø230mm grease surface	US\$7.00
50		Art.66310 Grease pressing plate	for Ø320mm grease surface	US\$12.00